

P713888US_PCT_amended_seqs.txt
SEQUENCE LISTING

<110> Aston University

<120> Methods of Producing DNA and Protein Libraries

<130> W071488PPC

<140> PCT/GB 03/002573

<141> 2003-06-13

<150> GB0213816.2

<151> 2002-06-14

<160> 13

<170> PatentIn version 3.1

<210> 1

<211> 52

<212> DNA

<213> Artificial sequence

<220>

<223> consensus zinc finger gene fragment

<220>

<221> misc_feature

<222> (16)..(18)

<223> n=any nucleotide

<220>

<221> misc_feature

P713888US_PCT_amended_seqs.txt

<222> (25)..(27)

<223> n=any nucleotide

<220>

<221> misc_feature

<222> (34)..(36)

<223> n=any nucleotide

<400> 1

ctgacttcga aatcanntc gctgnnaat gttnnngtag tcgcatgctg ca

52

<210> 2

<211> 15

<212> DNA

<213> Artificial sequence

<220>

<223> PCR primer

<400> 2

gactgaagct ttagt

15

<210> 3

<211> 16

<212> DNA

<213> Artificial Sequence

<220>

<223> PCR primer

<400> 3

gtcgctggtc tactac

16

<210> 4

<211> 18

<212> DNA

<213> Artificial Sequence

<220>

<223> partial complementary sequence to SEQ ID 1

<220>

<221> misc_feature

<222> (16)..(18)

<223> nnn represents MAX codon (optimum codon usage
for each amino acid in E. coli)

<400> 4
gactgaagct ttagtnnn

18

<210> 5

<211> 32

<212> DNA

<213> Artificial Sequence

<220>

<223> complementary sequence to SEQ ID 3 and SEQ ID 6
(partially)

<400>
catcagcgta cgacgtcagc gaccagatga tg

32

<210> 6

<211> 42

<212> DNA

<213> Artificial Sequence

<220>

<223> consensus zinc finger gene fragment

<220>

<221> misc_feature

<222> (6)..(8)

<223> n=any nucleotide

<220>

<221> misc_feature

<222> (15)..(17)

<223> n=any nucleotide

<220>

<221> misc_feature

<222> (24)..(26)

<223> n=any nucleotide

<400> 6

aatcanntc gctgnnaat gttnnngtag tcgcatgctg ca

42

<210> 7

<211> 15

<212> DNA

<213> Artificial sequence

<220>

<223> PCR primer

<400> 7

atgaccatga ttacg

15

<210> 8

<211> 30

<212> DNA

<213> Artificial sequence

<220>

<223> complementary sequence to SEQ ID 7 and SEQ ID 1
(partially)

<400> 8

atgaccatga ttacgctatg ccatgactga

30

P713888US_PCT_amended_seqs.txt

<210> 9

<211> 12

<212> DNA

<213> Artificial Sequence

<220>

<223> partial complementary sequence to SEQ ID 1

<220>

<221> misc_feature

<222> (10)..(12)

<223> nnn represents MAX codon (optimum codon usage for each amino acid in E. coli)

<400> 9

agctttagtn nn

12

<210> 10

<211> 15

<212> DNA

<213> Artificial Sequence

<220>

<223> PCR primer

<400> 10

acttgagact gaagc

15

<210> 11

<211> 15

<212> DNA

<213> Artificial Sequence

<220>

<223> PCR primer

<400> 11

	P713888US_PCT_amended_seqs.txt	15
gcatgctaga ctgcc		
<210>	12	
<211>	21	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	complementary sequence to SEQ ID 11 and SEQ ID 13 (partially)	
<400>	12	
catcagcgta cgatctgacg c		21
<210>	13	
<211>	39	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	consensus zinc finger gene fragment	
<220>		
<221>	misc_feature	
<222>	(13)..(15)	
<223>	n=any nucleotide	
<220>		
<221>	misc_feature	
<222>	(22)..(24)	
<223>	n=any nucleotide	
<220>		
<221>	misc_feature	
<222>	(31)..(33)	
<223>	n=any nucleotide	

P713888US_PCT_amended_seqs.txt

<400> 13

acttcgaaat canntcgct gnnnaatggt nnngtagtc

39